

REMARKS/ARGUMENTS

The amendments to the claims are fully supported by the specification and claims as originally filed and do not constitute new matter.

Prior to the present amendment, Claims 58-66, 68-70 were pending in this application. With this amendment, Claims 58-62 have been amended to recite an "isolated native sequence polypeptide." Support for the term "native sequence" can be found in the specification at, for example, page 121, line 38 to page 122, line 11. A "native sequence PRO polypeptide" comprises a polypeptide having the same amino acid sequence as the corresponding PRO polypeptide derived from nature. Such native sequence PRO polypeptides can be isolated from nature or can be produced by recombinant or synthetic means. The term "native sequence PRO polypeptide" specifically encompasses "naturally-occurring truncated or secreted forms of the specific PRO polypeptide ... naturally occurring variant forms ... and naturally occurring allelic variants of the polypeptide."

Applicants believe that the current amendments place all claims in *prima facie* condition for allowance or, at least, in a better form for consideration on appeal. Accordingly, the consideration and entry of the present amendment after final rejection is respectfully requested.

Applicants expressly reserve the right to pursue any canceled matter in subsequent continuation, divisional or continuation-in-part application(s).

Claims 58-66 and 68-70 are pending in this application.

Applicants note and appreciate the withdrawal of the earlier objections. The remaining rejections of Claims 58-66 and 68-70 under 35 U.S.C. §101, §112, first paragraph, §102 and §103 are addressed below.

Priority Determination

The Examiner maintains that the effective filing date for the application is October 15, 2001, the actual filing date of the instant application, and that Applicants are not entitled to claim priority to earlier-filed applications because "the gene amplification assay fails to provide a patentable utility for the protein." See page 14 of the instant Office Action.

As discussed previously in the Applicants' response filed on November 8, 2004, Applicants rely on the gene amplification assay (Example 114) for patentable utility which was first disclosed in International Application No. PCT/US00/03565, filed February 11, 2000, priority to which has been claimed in this application.

Applicants respectfully maintain the position that the specification provides the support required to establish utility for the claimed protein, for example, in detecting over-expression or absence of expression of the PRO274 polypeptide for the reasons previously set forth in the Applicants' response filed on November 8, 2004. Accordingly, Applicants submit that the subject matter of the instant claims is supported by the disclosure in International Application No. PCT/US00/03565. Therefore, the effective filing date of this application is February 11, 2000, the filing date of International Application No. PCT/US00/03565.

Claim Rejections Under 35 U.S.C. §§101 and 112, First Paragraph (Enablement)

Claims 58-66 and 68-70 remain rejected under 35 U.S.C. §101 allegedly "because the claimed invention is not supported by either a specific and substantial asserted utility or a well established utility." Specifically, the Examiner contends that "while the declaration and supporting references are convincing that the TaqMan realtime PCT method is very sensitive and can identify amplified genes, the claims are drawn to protein encoded by the PRO274 gene, and as discussed in the previous office action and below, it is not predictable that gene amplification results in increased mRNA expression, or that increased mRNA expression results in increased protein production." See page 5 of the instant Office Action.

Claims 58-70 are further rejected under 35 U.S.C. §112, first paragraph, allegedly because one skilled in the art would not know how to use the claimed invention "since the claimed invention is not supported by either a specific and substantial asserted utility or a well established utility."

For the reasons outlined below, Applicants respectfully disagree and traverse the rejections.

Utility – Legal Standard

According to 35 U.S.C. § 101:

Whoever invents or discovers any new and *useful* process, machine, manufacture, or composition of matter, or any new and *useful* improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title. (Emphasis added.)

In interpreting the utility requirement, in *Brenner v. Manson*¹, the Supreme Court held that the quid pro quo contemplated by the U.S. Constitution between the public interest and the interest of the inventors required that a patent applicant disclose a "substantial utility" for his or her invention, *i.e.*, a utility "where specific benefit exists in currently available form."² The Court concluded that "a patent is not a hunting license. It is not a reward for the search, but compensation for its successful conclusion. A patent system must be related to the world of commerce rather than the realm of philosophy."³

Later, in *Nelson v. Bowler*⁴, the CCPA acknowledged that tests evidencing pharmacological activity of a compound may establish practical utility, even though they may not establish a specific therapeutic use. The court held that "since it is crucial to provide researchers with an incentive to disclose pharmaceutical activities in as many compounds as possible, we conclude adequate proof of any such activity constitutes a showing of practical utility."⁵ In *Cross v. Iizuka*⁶, the CAFC reaffirmed *Nelson* and added that *in vitro* results might be sufficient to support practical utility, explaining that "*in vitro* testing, in general, is relatively less

¹ *Brenner v. Manson* 383 U.S. 519, 148 U.S.P.Q. (BNA) 689 (1966).

² *Id.* at 534, 148 U.S.P.Q. (BNA) at 695.

³ *Id.* at 536, 148 U.S.P.Q. (BNA) at 696.

⁴ *Nelson v. Bowler*, 626 F. 2d 853, 206 U.S.P.Q. (BNA) 881 (C.C.P.A. 1980).

⁵ *Id.* at 856, 206 U.S.P.Q. (BNA) at 883.

⁶ *Cross v. Iizuka*, 753 F.2d 1047, 224 U.S.P.Q. (BNA) 739 (Fed. Cir. 1985).

complex, less time consuming, and less expensive than *in vivo* testing. Moreover, *in vitro* results with the particular pharmacological activity are generally predictive of *in vivo* test results, i.e. there is a reasonable correlation there between."⁷ The Court perceived "no insurmountable difficulty" in finding that, under appropriate circumstances, "*in vitro* testing, may establish a practical utility."⁸

The case law has also clearly established that applicants' statements of utility are usually sufficient, unless such statement of utility is unbelievable on its face.⁹ The PTO has the initial burden that applicants' claims of usefulness are not believable on their face.¹⁰ In general, an Applicant's assertion of utility creates a presumption of utility that will be sufficient to satisfy the utility requirement of 35 U.S.C. §101, "unless there is a reason for one skilled in the art to question the objective truth of the statement of utility or its scope."^{11, 12}

Compliance with 35 U.S.C. §101 is a question of fact.¹³ The evidentiary standard to be used throughout *ex parte* examination in setting forth a rejection is a preponderance of the totality of the evidence under consideration.¹⁴ Thus, to overcome the presumption of truth that

⁷ *Id.* at 1050, 224 U.S.P.Q. (BNA) at 747.

⁸ *Id.*

⁹ *In re Gazave*, 379 F.2d 973, 154 U.S.P.Q. (BNA) 92 (C.C.P.A. 1967).

¹⁰ *Ibid*

¹¹ *In re Langer*, 503 F.2d 1380,1391, 183 U.S.P.Q. (BNA) 288, 297 (CCPA 1974).

¹² See, also *In re Jolles*, 628 F.2d 1322, 206 USPQ 885 (CCPA 1980); *In re Irons*, 340 F.2d 974, 144 USPQ 351 (1965); *In re Sichert*, 566 F.2d 1154, 1159, 196 USPQ 209, 212-13 (CCPA 1977).

¹³ *Raytheon v. Roper*, 724 F.2d 951, 956, 220 U.S.P.Q. (BNA) 592, 596 (Fed. Cir. 1983) cert. denied, 469 US 835 (1984).

¹⁴ *In re Oetiker*, 977 F.2d 1443, 1445, 24 U.S.P.Q.2d (BNA) 1443, 1444 (Fed. Cir. 1992).

an assertion of utility by the applicant enjoys, the Examiner must establish that it is more likely than not that one of ordinary skill in the art would doubt the truth of the statement of utility. Only after the Examiner made a proper *prima facie* showing of lack of utility, does the burden of rebuttal shift to the applicant. The issue will then be decided on the totality of evidence.

The well established case law is clearly reflected in the Utility Examination Guidelines (“Utility Guidelines”)¹⁵, which acknowledge that an invention complies with the utility requirement of 35 U.S.C. §101, if it has at least one asserted “specific, substantial, and credible utility” or a “well-established utility.” Under the Utility Guidelines, a utility is “specific” when it is particular to the subject matter claimed. For example, it is generally not enough to state that a nucleic acid is useful as a diagnostic without also identifying the conditions that are to be diagnosed.

In explaining the “substantial utility” standard, M.P.E.P. §2107.01 cautions, however, that Office personnel must be careful not to interpret the phrase “immediate benefit to the public” or similar formulations used in certain court decisions to mean that products or services based on the claimed invention must be “currently available” to the public in order to satisfy the utility requirement. “Rather, any reasonable use that an applicant has identified for the invention that can be viewed as providing a public benefit should be accepted as sufficient, at least with regard to defining a “substantial” utility’.”¹⁶ Indeed, the Guidelines for Examination of Applications for Compliance With the Utility Requirement¹⁷ gives the following instruction to patent examiners: “If the applicant has asserted that the claimed invention is useful for any particular practical purpose . . . and the assertion would be considered credible by a person of ordinary skill in the art, do not impose a rejection based on lack of utility.”

¹⁵ 66 Fed. Reg. 1092 (2001).

¹⁶ M.P.E.P. §2107.01

¹⁷ M.P.E.P. §2107 II (B) (1)

Proper Application of the Legal Standard

The specification provides sufficient disclosure to establish a specific, substantial and credible utility for the PRO274 polypeptide and antibodies binding to PRO274.

In particular, Example 114 discloses, “Amplification is associated with overexpression of the gene product, indicating that the polypeptides are useful targets for therapeutic intervention in certain cancers such as colon, lung, breast and other cancers and diagnostic determination of the presence of those cancers.” Furthermore, Table 9 teaches that PRO274 showed approximately 1.00-1.61 Δ Ct units which corresponds to $2^{1.00}$ - $2^{1.61}$ fold amplification or 2.0 fold to 3.053-fold amplification in three types of human primary lung tumors. Applicants respectfully disagree with the Examiner’s comment that “the specification provides data showing a very small increase in DNA copy number, approximately 2-fold, in a few tumor samples for PRO274.” See page 5 of the instant Office Action. Indeed, the previously submitted Declaration by Dr. Audrey Goddard clearly states:

It is further my considered scientific opinion that an at least **2-fold increase** in gene copy number in a tumor tissue sample relative to a normal (*i.e.*, non-tumor) sample is significant and useful in that the detected increase in gene copy number in the tumor sample relative to the normal sample serves as a basis for using relative gene copy number as quantitated by the TaqMan PCR technique as a diagnostic marker for the presence or absence of tumor in a tissue sample of unknown pathology. Accordingly, a gene identified as being amplified at least 2-fold by the quantitative TaqMan PCR assay in a tumor sample relative to a normal sample is **useful as a marker for the diagnosis of cancer**, for monitoring cancer development and/or for measuring the efficacy of cancer therapy. (Emphasis added).

Therefore, any gene identified as being amplified at least 2-fold by the quantitative TaqMan PCR assay is considered useful as a marker for the diagnosis of cancer.

Further, Applicants respectfully submit that the amplification of the nucleic acids in even one lung tumor provides specific and substantial utility for the nucleic acid as a diagnostic marker of the type of lung tumor in which it was amplified. Applicants submit that the tumors listed in Table 9 are not similar tumors from different patients, but various types/classes of lung and/or colon tumors at different stages. Accordingly, a positive result from one tumor, where the

nucleic acid was amplified, but not from other tumors, indicates that the nucleic acid can be used as a marker for diagnosing the presence of that kind of tumor in which it was amplified.

Amplification of the nucleic acid would be indicative of that specific class of lung tumor, whereas absence of amplification would be non-conclusive. As the Examiner admitted, "[The] specification provides data that PRO274 gene is overexpressed in three out of eighteen lung cancers (17%) at a level of two or about three fold over expression in normal lung tissue."

The Examiner further refers to Gygi *et al.* and Pennica *et al.* and contends, "Since the instant claims are directed to PRO274 polypeptide, it was *imperative* to find evidence in the relevant scientific literature whether or not a small increase in DNA copy number would be considered by the skilled artisan to be predictive of increase mRNA and protein levels. Pennica *et al.* was cited as evidence showing a lack of correlation between gene (DNA) amplification and elevated mRNA levels. Gygi *et al.* was cited as providing evidence that protein levels cannot be accurately predicted from mRNA levels, and that variances as much as 40-fold or even 50-fold were not uncommon."

As a preliminary matter, it is not a legal requirement to establish a "necessary" correlation between an increase in the copy number of the mRNA and protein expression levels that would correlate to the disease state or that it is "imperative" to find evidence that protein levels can be accurately predicted. As discussed above, the evidentiary standard to be used throughout *ex parte* examination of a patent application is a preponderance of the totality of the evidence under consideration. Accordingly, the question is not whether a necessary or even "strong" correlation between an increase in copy number and protein expression levels exists, rather if it is more likely than not that a person of ordinary skill in the pertinent art would recognize such a positive correlation. Applicants respectfully submit that when the proper evidentiary standard is applied, a correlation must be acknowledged.

Applicants respectfully submit that for the reasons previously set forth in the Applicants' response filed on November 8, 2004 that Pennica *et al.* does not show a lack of correlation between gene (DNA) amplification and elevated mRNA levels.

The Examiner alleges, "While Gygi et al. demonstrates that high levels of mRNA generally correlate with high levels of protein, it has not been demonstrated that the PRO274 mRNA is overexpressed at high levels. The majority of mRNAs at levels of expression other than high levels do not show a correlation with protein levels." Therefore, the Examiner concludes, "Given the small magnitude by which the DNA copy number of PRO274 is increased ... it is clear that one skilled in the art would not assume that a small increase in gene copy number would correlate with significantly increased mRNA or polypeptide levels, and that it is not more likely than not that a higher level of mRNA correlates with a higher level of protein."

Applicants respectfully disagree. Indeed, contrary to the Examiner's reading, Gygi *et al.* clearly teach that "there was a general trend of increase protein levels resulting from increase mRNA levels." (Emphasis added. See page 1726, left column, second paragraph and Figure 5). Gygi *et al.* further states that "correlation coefficient for the whole data set (106 genes) was 0.935." In addition, Gygi *et al.* state that the correlation coefficient for genes where the message level was below 10 copies/cell was 0.356 and for most abundant proteins was 0.94. (See page 1726, second paragraph and page 1727, left column, second paragraph). Therefore, Gygi *et al.* disclose positive correlations for both lower abundant and higher abundant proteins. Applicants respectfully submit that correlation coefficient is a measure of the degree of linear relationship between two variables. A positive correlation coefficient means that as the value of one variable increases, the value of the other variable increases. Accordingly, contrary to the Examiner's position that "[t]he majority of mRNA at levels of expression other than high levels do not show a correlation with protein levels", Gygi *et al.* clearly teach that there is a general trend of increase protein levels from increase mRNA levels for all levels of mRNA expression.

In addition, Gygi *et al.* was studying steady-state yeast cells and not cancerous human cells. Gygi *et al.* further admitted that "the present study has several potential sources of error related to the methods used to determine mRNA and protein expression levels." (See page 1727, right column, second paragraph). For example, Gygi *et al.* note, "low-abundant proteins with regulatory functions such as transcription factors or protein kinases were not identified." (See page 1727, left column, first paragraph). Further, Gygi *et al.* calculated mRNA levels from

frequency tables of SAGE data. For the SAGE method, the authors admit that "the error associated with a value increases with a decreasing number of transcripts per cell.... Since more than 65% of the mRNA levels included in this study were calculated to 10 copies/cell or less (40% were less than 4 copies/cell), the error associated with these values may be quite large." (See page 1727, right column, second paragraph to page 1728, left column, first paragraph). Accordingly, Applicants respectfully submit that Gygi *et al.* did not indicate that no correlation exists between mRNA and protein levels for low abundant protein. Indeed, Gygi *et al.* showed a positive correlation for low abundant proteins indicating a general positive trend. While the correlation for low-abundant proteins may not be as strong as those shown for high abundant proteins, but as discussed above, the reason for the correlation value may be simply due the many limitations associated with using the SAGE method.

As discussed above, the law does not require the existence of a "strong" or "linear" correlation between mRNA and protein levels. Nor does the law require that protein levels be "accurately" predicted. According to the authors themselves, the Gygi data confirm that there is a general trend between protein expression and transcript levels, which meets the "more likely than not standard" and shows that a positive correlation exists between mRNA and protein. In fact, contrary to what the Examiner contends, the art indicates that, if a gene is amplified in cancer, it is more likely than not that the encoded protein will be expressed at an elevated level. As noted even in Gygi *et al.*, most genes showed a correlation between increased mRNA and translated protein. Hence, Applicants respectfully submit that based on the teachings of Gygi *et al.* and the teachings of the instant specification, one skilled in the art would more likely than not assume that the increase in gene copy number of PRO274 would result in an elevated level of PRO274 polypeptide.

The Examiner has failed to meet its initial burden of proof that Applicant's claims of utility are not substantial or credible. The arguments presented by the Examiner in combination with the Gygi paper do not provide sufficient reasons to doubt the statements by Applicants that PRO274 has utility. As set forth above, Gygi *et al.* supports Applicants position that there is a positive correlation between the overexpression of mRNA and protein.

The Examiner contends that "Orntoft et al. do not appear to look at gene amplification, mRNA levels and polypeptide levels from a single gene at a time.... Orntoft et al. concentrated on regions of chromosomes with strong gains of chromosomal material containing clusters of gene. It is not clear whether or not PRO274 is in a gene cluster in a region of a chromosome that is highly amplified. This analysis was not done for PRO274 in the instant specification.... Therefore, the relevance of Orntoft et al. is not clear." The Examiner further alleges, "Hyman et al. used the same CGH approach in their research. Less than half of highly amplified genes showed mRNA overexpression (abstract).... Therefore, Hyman *et al.* also do not support utility of the claimed polypeptides." The Examiner alleges that "Pollack *et al.* also used CGH technology concentrating on large chromosome regions showing high amplification (p. 12965). Pollack et al. did not investigate polypeptide levels. Therefore, Pollack *et al.* also do not support the asserted utility of the claimed invention."

In Orntoft *et al.*, 1,800 genes that yielded an increase or decrease in mRNA expression in two invasive tumors compared to the two non-invasive papillomas were then mapped to chromosomal locations. The chromosomes had already been analyzed for amplification by hybridizing tumor DNA to normal metaphase chromosomes (CGH). Orntoft *et al.* used CGH alterations as the independent variable and estimated the frequency of expression alterations of the 1,800 genes in the chromosomal areas. Orntoft *et al.* found that in general (77% and 80% concordance) areas with a strong gain of chromosomal material contained a cluster of genes having increased mRNA expression (see page 40). Orntoft *et al.* state, "For both tumors TCC733 ($p < 0.015$) and TCC827 ($p < 0.00003$) a highly significant correlation was observed between the level of CGH ratio change (reflecting the DNA copy number) and alterations detected by the array based technology" (see page 41, column 1). Orntoft *et al.*, also studied the relation between altered mRNA and protein levels using 2D-PAGE analysis. Orntoft *et al.* state, "In general there was a highly significant correlation ($p < 0.005$) between mRNA and protein alterations.... 26 well focused proteins whose genes had a known chromosomal location were detected in TCCs 733 and 335, and of these 19 correlated ($p < 0.005$) with the mRNA changes detected using the arrays." (See page 42, column 2 to page 34, column 2). Accordingly, Orntoft *et al.* clearly

support Applicants position that proteins expressed by genes that are amplified in tumors are useful as cancer markers.

The Examiner indicates that Applicants have not indicated whether PRO274 is in a gene cluster region of a chromosome. (See page 7 of the instant Office Action). Applicants fail to see how this is relevant to the analysis. Ornftoft *et al.* did not limit their findings to only those regions of amplified gene clusters. Further, as discussed below, Hyman *et al.* and Pollack *et al.* did gene-by-gene analysis across all chromosomes.

The Examiner has mischaracterized the methods used by Hyman *et al.* and Pollack *et al.* in their analysis. These papers did not use traditional CGH analysis to identify amplified genes. In Hyman *et al.*, 13,824 cDNA clones were placed on glass slides in a microarray and genomic DNA from breast cancer cell lines and normal human WBCs were hybridized to the cDNA sequences. For expression analysis, RNA from tumor cell lines were hybridized on the same microarrays. The 13,824 arrayed cDNA clones were analyzed for gene expression and gene copy number in 14 breast cancer cell lines. Hyman *et al.* state, "The results illustrate a considerable influence of copy number on gene expression patterns." For example, Hyman *et al.* teach that "[u]p to 44% of the highly amplified transcripts (CGH ratio, >2.5) were overexpressed (*i.e.*, belonged to the global upper 7% of expression ratios) compared with only 6% for genes with normal copy number." (See page 6242, column 1). Further, Hyman *et al.* state that "[t]he cDNA/CGH microarray technique enables the direct correlation of copy number and expression data on a gene-by-gene basis throughout the genome." (See page 6242, column 2). Therefore, the analysis performed by Hyman *et al.* was on a gene-by gene basis, and clearly shows that "it is more likely than not" that a gene which is amplified in tumor cells will have increased gene expression.

In Pollack *et al.*, DNA copy number alteration across 6,691 mapped human genes in 44 predominantly advanced primary breast tumors and 10 breast cancer cell lines was profiled. Pollack *et al.* further state, "Parallel microarray measurements of mRNA levels reveal the remarkable degree to which variation in gene copy number contributes to variation in gene expression in tumor cells." (See Abstract). "Genome-wide, of 117 high-level DNA

amplifications (fluorescence ratios >4, and representing 91 different genes), 62% (representing 54 different genes; ...) are found associated with at least moderately elevated mRNA levels (mean-centered fluorescence ratios >2), and 42% (representing 36 different genes) are found associated with comparably highly elevated mRNA levels (mean-centered fluorescence ratios >4)." (See page 12966, column 1). Therefore, the analysis performed by Pollack *et al.* was also on a gene-by gene basis, and clearly shows that "it is more likely than not" that a gene which is amplified in tumor cells will have increased gene expression.

The Examiner also alleges that papers by Orntoft *et al.*, Hyman *et al.* and Pollack *et al.* "state that the research was relevant to the development of potential cancer therapeutics, but also clearly imply that much further research was needed before such therapeutics were in readily available form. Accordingly, the specification's assertion that the claimed PRO274 proteins have utility in the fields of cancer diagnostics and cancer therapeutics are not substantial."

Applicants respectfully disagree.

As stated above, in explaining the "substantial utility" standard, M.P.E.P. §2107.01 cautions that Office personnel must be careful not to interpret the phrase "immediate benefit to the public" or similar formulations used in certain court decisions to mean that products or services based on the claimed invention must be "currently available" to the public in order to satisfy the utility requirement. "Rather, any reasonable use that an applicant has identified for the invention that can be viewed as providing a public benefit should be accepted as sufficient, at least with regard to defining a "substantial" utility'." ¹⁸ Indeed, the Guidelines for Examination of Applications for Compliance With the Utility Requirement ¹⁹ states, "If the applicant has asserted that the claimed invention is useful for any particular practical purpose . . . and the assertion would be considered credible by a person of ordinary skill in the art, do not impose a rejection based on lack of utility." Accordingly, Applicants respectfully submit that Applicants'

¹⁸ M.P.E.P. §2107.01

¹⁹ M.P.E.P. §2107 II (B) (1)

assertion that the claimed PRO274 proteins have utility in the field of cancer diagnostics is substantial.

With regard to the correlation between mRNA expression and protein levels, Applicants previously submitted a Declaration by Dr. Polakis, principal investigator of the Tumor Antigen Project of Genentech, Inc., the assignee of the present application, to show that mRNA expression correlates well with protein levels, in general. As Dr. Polakis explains, the primary focus of the microarray project was to identify tumor cell markers useful as targets for both the diagnosis and treatment of cancer in humans. The scientists working on the project extensively rely on results of microarray experiments in their effort to identify such markers. As Dr. Polakis explains, using microarray analysis, Genentech scientists have identified approximately 200 gene transcripts (mRNAs) that are present in human tumor cells at significantly higher levels than in corresponding normal human cells. To date, they have generated antibodies that bind to about 30 of the tumor antigen proteins expressed from these differentially expressed gene transcripts and have used these antibodies to quantitatively determine the level of production of these tumor antigen proteins in both human cancer cells and corresponding normal cells. Having compared the levels of mRNA and protein in both the tumor and normal cells analyzed, they found a very good correlation between mRNA and corresponding protein levels. Specifically, in approximately 80% of their observations they have found that increases in the level of a particular mRNA correlates with changes in the level of protein expressed from that mRNA. While the proper legal standard is to show that the existence of correlation between mRNA and polypeptide levels is more likely than not, the showing of approximately 80% correlation for the molecules tested in the Polakis Declaration greatly exceed this legal standard. Based on these experimental data and his vast scientific experience of more than 20 years, Dr. Polakis states that, for human genes, increased mRNA levels typically correlate with an increase in abundance of the encoded protein. He further confirms that "it remains a central dogma in molecular biology that increased mRNA levels are predictive of corresponding increased levels of the encoded protein."

The Examiner contends that Dr. Polakis Declaration is insufficient to overcome the rejection since it is limited to a discussion of data regarding the correlation of mRNA levels and

polypeptide levels and not gene amplification levels. Further, only Dr. Polakis' conclusions are provided in the Declaration. There is not evidentiary support to Dr. Polakis statement that it remains a central dogma in molecular biology that increased mRNA levels are predictive of corresponding increased levels of the encoded polypeptide.

Applicants submit that Dr. Polakis' Declaration is presented to support the position that there is a correlation between mRNA levels and polypeptide levels. Regarding, the Examiner's rejection of the Polakis Declaration "for not being supported by evidence of record", Applicants emphasize that the opinions expressed in the Polakis Declaration, including the quoted statement, are all based on factual findings. Thus, Dr. Polakis explains that in the course of their research using microarray analysis, he and his co-workers identified approximately 200 gene transcripts that are present in human tumor cells at significantly higher levels than in corresponding normal human cells. Subsequently, antibodies binding to about 30 of these tumor antigens were prepared, and mRNA and protein levels were compared. In approximately 80% of the cases, the researchers found that increases in the level of a particular mRNA correlated with changes in the level of protein expressed from that mRNA when human tumor cells are compared with their corresponding normal cells. Dr. Polakis' statement that "an increased level of mRNA in a tumor cell relative to a normal cell typically correlates to a similar increase in abundance of the encoded protein in the tumor cell relative to the normal cell" is based on factual, experimental findings, clearly set forth in the Declaration. Accordingly, the Declaration is not merely conclusive, and the fact-based conclusions of Dr. Polakis would be considered reasonable and accurate by one skilled in the art.

The case law has clearly established that in considering affidavit evidence, the Examiner must consider all of the evidence of record anew.²⁰ "After evidence or argument is submitted by the applicant in response, patentability is determined on the totality of the record, by a

²⁰ *In re Rinehart* 531 F.2d 1084, 189 USPQ 143 (CCPA 1976) and *In re Piasecki* 745 F.2d. 1015, 226 USPQ 881 (Fed. Cir. 1985)

preponderance of the evidence with due consideration to persuasiveness of argument"²¹

Furthermore, the Federal Court of Appeals held in *In re Alton*, "We are aware of no reason why opinion evidence relating to a fact issue should not be considered by an examiner"²². Applicants also respectfully draw the Examiner's attention to the Utility Examination Guidelines²³ which states, "Office personnel must accept an opinion from a qualified expert that is based upon relevant facts whose accuracy is not being questioned; it is improper to disregard the opinion solely because of a disagreement over the significance or meaning of the facts offered." The statement in question from an expert in the field (the Polakis Declaration) states that "it is my considered scientific opinion that for human genes, an increased level of mRNA in a tumor cell relative to a normal cell typically correlates to a similar increase in abundance of the encoded protein in the tumor cell relative to the normal cell." Therefore, barring evidence to the contrary regarding the above statement in the Polakis Declaration, this rejection is improper under both the case law and the Utility guidelines.

Taken together, although there are some examples in the scientific art that do not fit within the central dogma of molecular biology that there is a correlation between polypeptide and mRNA levels, these instances are exceptions rather than the rule. In the majority of amplified genes, the teachings in the art, as exemplified by Orntoft *et al.*, Hyman *et al.*, Pollack *et al.*, and the Polakis Declaration, overwhelmingly show that gene amplification influences gene expression at the mRNA and protein levels. Therefore, one of skill in the art would reasonably expect in this instance, based on the amplification data for the PRO274 gene, that the PRO274 polypeptide is concomitantly overexpressed. Thus, Applicants submit that the PRO274 polypeptides and antibodies have utility in the diagnosis of cancer and based on such a utility, one of skill in the art would know exactly how to use the antibody for diagnosis of cancer.

²¹ *In re Alton* 37 USPQ2d 1578 (Fed. Cir 1966) at 1584 quoting *In re Oetiker* 977 F 2d at 1445, u2 USPQ2d at 1444.

²² *In re Alton*, *supra*

²³ Part IIB, 66 Fed. Reg. 1098 (2001)

The Examiner cites Hu et al. for support that genes displaying a 5-fold change or less in mRNA expression in tumors compared to normal showed no evidence of a correlation between altered gene expression and a known role in the disease. However, among genes with a 10-fold or more change in expression level, there was a strong and significant correlation between expression level and a published role in the disease.

Applicants submit that in order to overcome the presumption of truth that an assertion of utility by the applicant enjoys, the Examiner must establish that it is more likely than not that one of ordinary skill in the art would doubt the truth of the statement of utility. Accordingly, contrary to the Examiner's assertion, Applicants respectfully submit that Hu *et al.* does not conclusively show that it is more likely than not that the gene amplification does not result in increased expression at the mRNA and polypeptide levels.

First, the title of Hu *et al.* is "Analysis of Genomic and Proteomic Data Using Advanced Literature Mining." As the title clearly suggests, the conclusion suggested by Hu *et al.* is merely based a statistical analysis of the information disclosed in published literatures. As Hu *et al.* states, "We have utilized a computational approach to literature mining to produce a comprehensive set of gene-disease relationships." In particular, Hu *et al.* relied on MedGene Database and the Medical Subject Heading (MeSH) files to analyze the gene-disease relationship. More specifically, Hu *et al.* "compared the MedGene breast cancer gene list to a gene expression data set generated from a micro-array analysis comparing breast cancer and normal breast tissue samples." (See page 408, right column).

Therefore, Applicants submit that the reference by Hu *et al.* only studies the statistical analysis of micro-array data and not the gene amplification data. Hence, their findings would not be directly applicable to the gene amplification data. In addition, the Hu *et al.* reference does not show a lack of correlation between microarray data and the biological significance of cancer genes.

Further, the analysis by Hu *et al.* has certain statistical flaws. According to Hu *et al.*, "*different* statistical methods" were applied to "*estimate* the strength of gene-disease relationships and evaluated the results." (See page 406, left column, emphasis added). Using these different

statistical methods, Hu *et al.* "[a]ssessed the relative strengths of gene-disease relationships based on the frequency of both co-citation and single citation." (See page 411, left column). It is well known in the art that various statistical methods allow different variables to be manipulated to affect the outcome. For example, the authors admit, "Initial attempts to search the literature using" the list of genes, gene names, gene symbols, and frequently used synonyms, generated by the authors "revealed several sources of false positives and false negatives." (See page 406, right column). The authors further admit that the false positives caused by "duplicative and unrelated meanings for the term" were "difficult to manage." Therefore, in order to minimize such false positives, Hu *et al.* disclose that these terms "had to be eliminated entirely, thereby reducing the false positive rate but unavoidably under-representing some genes." *Id.* (emphasis added). Hence, Applicants respectfully submit that in order to minimize the false positives and negatives in their analysis, Hu *et al.* manipulated various aspects of the input data.

Applicants further submit that the statistical analysis by Hu *et al.* is not a reliable standard because the frequency of citation only reflects the current research interest of a molecule but not the true biological function of the molecule. Indeed, the authors acknowledge that "[r]elationship established by frequency of co-citation do not necessarily represent a true biological link." (See page 411, right column). It often happens in the scientific study that important molecules were overlooked by the scientific society for many years until the discovery of their true function. Therefore, Applicants submit that Hu *et al.* drew their conclusion based on a very unreliable standard and their research does not provide any meaningful information regarding the correlation between the microarray data and the biological significance.

Even assuming that Hu *et al.* provide evidence to support a true relationship, the conclusion in Hu *et al.* only applies to a specific type of breast tumor (estrogen receptor (ER)-positive breast tumor) and can not be generalized as a principle governing microarray study of breast cancer in general, let alone the various other types of cancer genes in general. In fact, even Hu *et al.* admit that "[i]t is likely that this threshold will change depending on the disease as well as the experiment. Interestingly, the observed correlation was only found among ER-positive (breast) tumors not ER-negative tumors." (See page 412, left column). Therefore, based on

these findings, the authors add, "This may reflect a bias in the literature to study the more prevalent type of tumor in the population. Furthermore, this emphasizes that caution must be taken when interpreting experiments that may contain subpopulations that behave very differently." *Id.* (emphasis added).

Accordingly, Applicants respectfully submit that the Examiner has not shown that a lack of correlation between microarray data and the biological significance of cancer genes.

The Examiner contends that the Ashkenazi Declaration is insufficient to overcome the rejection of Claims 58-66 and 68-70. In particular, the Examiner alleges, "If a specific gene product was known to be involved in cancer and if there were known compounds that could be used to target the gene product, this would be an acceptable utility. However, the gene product of the instant invention has not been demonstrated to be involved in cancer." The Examiner further alleges, "The Hanna reference is not applicable to the instant fact situation, as it deals with a known tumor associated gene, and not with a prospective analysis of the type found in this specification."

Applicants respectfully disagree. Applicants have clearly shown that the gene encoding PRO274 polypeptide is amplified in a significant number of lung tumors. Therefore, PRO274 gene, similar to HER-2/neu gene disclosed in Hanna *et al.*, is a tumor associated gene. Furthermore, as discussed above, in the majority of amplified genes, the teachings in the art overwhelmingly show that gene amplification influences gene expression at the mRNA and protein levels. Therefore, one of skill in the art would reasonably expect in this instance, based on the amplification data for the PRO274 gene, that the PRO274 polypeptide is concomitantly overexpressed. However, even if gene amplification does not result in overexpression of the gene product (*i.e.*, the protein) an analysis of the expression of the protein is useful in determining the course of treatment. As indicated by Dr. Ashkenazi in his Declaration, Applicants submit that simultaneous testing of gene amplification and gene product overexpression enables more accurate tumor classification, even if the gene product (the protein) is not over expressed.

In conclusion, Applicant submits that the present rejection is based on the application of an incorrect, elevated legal standard, on misconstruction of the references and erroneous conclusions drawn therefrom. The issue of patentable utility should be assessed on the totality of evidence, using the preponderance evidentiary standard. It is submitted that on the totality of evidence Applicants clearly established that the claimed invention has a substantial, specific and credible utility. Further, based on this utility and the disclosure in the specification, one skilled in the art at the time the application was filed would know how to use the claimed polypeptides. Accordingly, Applicants request the Examiner to reconsider and withdraw the rejection of Claims 58-66 and 68-70 under 35 U.S.C. §§101 and 112.

Claim Rejection Under 35 U.S.C. §112, First Paragraph (Written Description)

Claims 58-62 and 69 and 70 remain rejected under 35 U.S.C. §112, first paragraph, as containing subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s) at the time the application was filed, had possession of the claimed invention.

Applicants respectfully submit that as amended, the claims are drawn to native sequence polypeptides at least 80-99% identical to SEQ ID NO:7. The Examiner states that “the only factors present in the claim are functional, in that the protein of SEQ ID NO:7 is encoded by a nucleic acid that is amplified in lung cancer.” The Examiner further alleges, “It is clear that while there *could* be additional polypeptides that meet the limitations of the claims, that conception of such polypeptides has not occurred, and cannot occur until their actual isolation, as it is not predictable what additional mutations in SEQ ID NO:7 would occur in nature and further be associated with lung cancer.” Accordingly, the Examiner concludes that “polypeptides comprising the sequence set forth in SEQ ID NO:7, but not the full breadth of the claims meet the written description provision of 35 U.S.C. §112 first paragraph.”

Applicants respectfully disagree and traverse the rejection.

The Legal Test for Written Description

The well-established test for sufficiency of support under the written description requirement of 35 U.S.C. §112, first paragraph, is "whether the disclosure of the application as originally filed reasonably conveys to the artisan that the inventor had possession at that time of the later claimed subject matter, rather than the presence or absence of literal support in the specification for the claim language."^{24, 25} The adequacy of written description support is a factual issue and is to be determined on a case-by-case basis.²⁶ The factual determination in a written description analysis depends on the nature of the invention and the amount of knowledge imparted to those skilled in the art by the disclosure.^{27, 28}

In *Environmental Designs, Ltd. v. Union Oil Co.*²⁹, the Federal Circuit held, "Factors that may be considered in determining level of ordinary skill in the art include (1) the educational level of the inventor; (2) type of problems encountered in the art; (3) prior art solutions to those problems; (4) rapidity with which innovations are made; (5) sophistication of the technology; and (6) educational level of active workers in the field." (Emphasis added).³⁰ Further, The "hypothetical 'person having ordinary skill in the art' to which the claimed subject matter pertains

²⁴ *In re Kaslow*, 707 F.2d 1366, 1374, 212 USPQ 1089, 1096 (Fed. Cir. 1983)

²⁵ *see also Vas-Cath, Inc. v. Mahurkar*, 935 F.2d at 1563, 19 USPQ2d at 1116 (Fed. Cir. 1991)

²⁶ *See, e.g., Vas-Cath*, 935 F.2d at 1563; 19 USPQ2d at 1116.

²⁷ *Union Oil v. Atlantic Richfield Co.*, 208 F.2d 989, 996 (Fed. Cir. 2000)

²⁸ *See also* MPEP §2163 II(A).

²⁹ 713 F.2d 693, 696, 218 USPQ 865, 868 (Fed. Cir. 1983), *cert. denied*, 464 U.S. 1043 (1984)

³⁰ *See also* MPEP §2141.03.

would, of necessity have the capability of understanding the scientific and engineering principles applicable to the pertinent art.^{31, 32}.

The Disclosure Provides Sufficient Written Description for the Claimed Invention

Applicants have amended Claims 58-62 to recite an isolated native sequence polypeptide. Applicants respectfully submit that the instant specification evidences the actual reduction to practice of a full-length PRO274 polypeptide of SEQ ID NO:7, with or without its signal sequence. As stated above, the Examiner has acknowledged that polypeptides comprising the sequence set forth in SEQ ID NO:7 meet the written description provision of 35 U.S.C. §112, first paragraph. Thus, the genus of native sequence polypeptides with at least 80% sequence identity to SEQ ID NO:7, which possess the functional property of having a nucleic acid which is amplified in lung tumors would meet the requirement of 35 U.S.C. §112, first paragraph, as providing adequate written description.

Applicants have provided native PRO sequence SEQ ID NO:7. The present application also describes methods for identifying genes which are amplified in lung cancer.

Example 114 of the present application provides step-by-step guidelines and protocols for the gene amplification assay. By following the disclosure in the specification, one skilled in the art can easily test whether a gene encoding a native variant PRO274 protein is amplified in lung tumors. The specification further describes methods for the determination of percent identity between two amino acid sequences. (See pages 122, line 34 to page 125, line 37). In fact, the specification teaches specific parameters to be associated with the term "percent identity" as applied to the present invention. Accordingly, one of skill in the art could identify whether the variant PRO274 native sequence falls within the parameters of the claimed invention. Once such an amino acid sequence was identified, the specifications sets forth methods for making the

³¹ *Ex parte Hiyamizu*, 10 USPQ2d 1393, 1394 (Bd. Pat. App. & Inter. 1988) (emphasis added)

³² See also MPEP §2141.03

amino acid sequences (see page 180, line 9 to page 184, line 35) and methods of preparing the PRO polypeptides (see page 185, line 36 and onward).

Therefore, Applicants respectfully submit that one of skill in the art could readily test a nucleic acid sequence which encodes the variant polypeptide to determine whether it is amplified by the methods set forth in Example 114.

Accordingly, the specification provides adequate written description for native sequence polypeptides having at least 80% identity to SEQ ID NO:7 wherein the nucleic acid encoding the polypeptide is amplified in lung tumors. For the above reasons, Applicants respectfully request that the rejection be withdrawn and the claims be allowed.

Claim Rejections – 35 U.S.C. §102(b)

The Examiner noted that the priority of the instant application is set at October 15, 2001. As discussed above, Applicants respectfully submit that the effective filing date of the present application is February 11, 2000.

Claims 58-66 and 68 remain rejected under 35 U.S.C. §102(b) as being anticipated by Ho *et al.*, Science, Vol. 289, pp 265-270 (publication date July 14, 2000). Applicants respectfully traverse this rejection.

As discussed above, the pending claims of the instant application are entitled to the effective filing date of February 11, 2000, and hence, Ho *et al.* is not prior art under 102(b) since its publication date is after the effective priority date of this application. Accordingly, the Examiner is respectfully requested to reconsider and withdraw the present rejection.

Claim Rejections – 35 U.S.C. §103(a)

Claims 69-70 remain rejected under 35 U.S.C. §103(a) as being unpatentable over Ho *et al.* in view of Hopp *et al.*, U.S. Patent No. 5,011,912. Applicants respectfully traverse this rejection.

As discussed above, Applicants are entitled to the effective filing date of February 11, 2000. Therefore, the primary reference, Ho *et al.* is not prior art. Thus, Applicants

respectfully submit that the instant claims are not obvious over Ho *et al.* in view of Hopp *et al.* Accordingly, the Examiner is respectfully requested to reconsider and withdraw the present rejection.

CONCLUSION

In conclusion, the present application is believed to be in *prima facie* condition for allowance, and an early action to that effect is respectfully solicited. Should there be any further issues outstanding, the Examiner is invited to contact the undersigned attorney at the telephone number shown below.

Please charge any additional fees, including fees for additional extension of time, or credit overpayment to Deposit Account No. **08-1641** (referencing Attorney's Docket No. **39780-2630 P1C8**).

Respectfully submitted,

Date: April 8, 2005

By: 
Anna L. Barry (Reg. No. 51,436)

HELLER EHRMAN WHITE & McAULIFFE LLP
275 Middlefield Road
Menlo Park, California 94025-3506
Telephone: (650) 324-7000
Facsimile: (650) 324-0638

SV 2113043 v1
4/8/05 2:18 PM (39780.2630)